

STYLE MODEL YEAR 2022

EN

DATE: NOVEMBER 2021



FLEXIBLE FAMILY HOLIDAY
ALL-ROUNDER: **THE LMC STYLE**

QUALITY. TRUST. AT HOME.

LMC


COMPACT MODEL,
MAJOR COMFORT



THE IDEAL FAMILY COMPANION
EXPERIENCE THE STYLE'S SPACIOUS FEEL

With the "Style" model series, we are presenting our most compact caravan that comes in a total of ten different layouts. The Style is our model for your family holidays. However, those new to caravanning will also enjoy its "small extra comforts" and the timelessly youthful design. The flexible all-rounder sleeps up to six people and offers enough space for cooking, playing and relaxing. The range "Style Lift" is equipped with a drop-down bed as a standard feature, and with up to seven sleeping berths, it flexibly offers more space as and when you need it.

We at LMC make your holiday dreams come true with German engineering expertise and plenty of finesse. Our twelve-year water ingress warranty stands for durability made in Sassenberg. See it for yourself and discover the LMC Style!



YOUTHFUL, FRESH DESIGN
MEETS WARMTH AND COSINESS

The welcoming wood finish with fresh white accents makes the Style an eye-catcher. With the optional pop-up roof, you can create two additional berths in, or rather on top of, your caravan with a view that's worth it. A practical feature, as this does not result in less room inside, and does not reduce the caravan's interior headroom and the available storage options. Not only your will children will appreciate this additional space. Further highlights such as a table that can be lowered and a large 140l refrigerator (layout-dependent) perfect the cosy interior.

We at LMC want you to feel comfortable whilst travelling. We do everything we can to offer you a high quality, cosy home-from-home that accompanies you to wherever you want to go - for a carefree holiday you'll remember for years to come.



THE WAY TO
HOLIDAY WITH THE
FAMILY



TIMELESSLY
BEAUTIFUL
AND
HOMELY



EXTRA ROOM -
FAST AND UNCOMPLICATED

A table becomes a bed in seconds: easily done in our Style. With its practical table that can be lowered, this caravan easily and flexibly adapts to any situation. The extra cushions provided instantly create two additional sleeping berths.


Our Style - a spatial wonder that makes it possible for young old to really enjoy their holiday.



MORE ROOM FOR THE FAMILY **VARIABLELY ADAPTABLE**

The Style Lift offers a unique feeling of spaciousness and, thanks to a head-room of up to 2.08 m, it is suitable for even the tallest caravanners. The generously-sized mid-vehicle lounge is roomy enough for spending some quality time together as a family or for meeting up with friends. When raised, the drop-down bed, a standard feature, ensures that there is plenty of free space during the day. At night, it increases the number of berths up to seven, if needed.

Well-positioned ceiling lights make the habitation look bright and welcoming. The standard skylight also lets in plenty of daylight.



KEEPING EVERYTHING TIDY **MADE EASY**



400 F



490 K

INTERIOR HIGHLIGHTS

- Lots of storage space and numerous shelves in the washroom as well as the standard roof vent and a large mirror make the room look bright and larger.
- You'll always be well provided for thanks to a 140l refrigerator volume (layout-dependent).
- The practical lowerable table and the extra cushions provided instantly create two additional sleeping berths.
- The rooms are flooded with daylight thanks to the skylights, a standard feature.
- Charging made easy - the USB sockets integrated into the power outlets provide numerous parallel electronic device charging options.



RELAXED COOKING AND DINING



THE PLACE
WHERE DREAMS
COME TRUE

Lift 500 K

FOR YOUR GOOD
NIGHT'S SLEEP
OR A REST

Our tested cold foam mattresses offer outstanding sleeping comfort for young and old - whether in the popular queen size bed, the drop-down bed, the practical pop-top roof, single beds or in the comfortable bunk beds for children. The fact that a separate room can be created for the kids is particularly family-friendly.

The standard-feature smoke alarms ensure that everyone on board feels safe.



450 D



More space during the day and enough room for two at night: The comfortable folding bed (size 1.5 x 1.9 metres) has been integrated in the caravan in a space-saving way and is easy to convert in only three steps - you don't even have to take off the bench cushions.



FUNCTIONAL FEATURES **WITH GREAT ATTENTION TO DETAIL**



CLEVER SOLUTIONS

1. Comfortable interior climate in any weather thanks to furniture that is back ventilated in the winter months.
2. Flexible charging of electric devices thanks to the optional USB socket that can simply be inserted into the integrated light rail.
3. The optional pop-top roof provides even more space. Especially kids love this cosy den on top of the caravan.

- Unique room concept thanks to the folding bed which effortlessly folds away or out as needed (400 F).
- Safe storage: Organisers and shelves make optimum use of any free wall spaces.
- Always on the safe side with the gas alarm: worry-free cooking and living.



SAFETY THAT
ESTABLISHES TRUST


IDEAL FOR THOSE NEW TO CARAVANNING **AND FOR YOUNG FAMILIES**



EXTERIOR HIGHLIGHTS

- 1. Awning beading for convenient awning fitting a standard feature
- 2. Pop-up roof (optional) for two additional sleeping berths
- 3. Long Life Technology (LLT) for high value retention
- 4. Automatic trailer control system for utmost driving safety a standard feature

UPHOLSTERY



DECOR



FEATURES

-  2 - 7
-  MAX. +691 KG
-  FROM 5.833 MM
-  MAX. 2.000 KG
-  LLT FLOOR
-  12 YEAR GUARANTEE



400 F

Total length cm	583
Total width cm	232
Sleeping berths	2



450 D

Total length cm	735
Total width cm	232
Sleeping berths	2 - 4



450 E

Total length cm	685
Total width cm	232
Sleeping berths	2 - 4



460 D

Total length cm	727
Total width cm	232
Sleeping berths	2 - 4



460 E

Total length cm	677
Total width cm	232
Sleeping berths	2 - 4



490 K

Total length cm	716
Total width cm	232
Sleeping berths	4 - 6



530 E

Total length cm	769
Total width cm	232
Sleeping berths	2 - 4



582 K

Total length cm	804
Total width cm	252
Sleeping berths	4 - 6



LIFT 430 K

Total length cm	683
Total width cm	232
Sleeping berths	4 - 6



LIFT 500 K

Total length cm	757
Total width cm	232
Sleeping berths	4 - 7

STANDARD EQUIPMENT AND PACKAGES

CHASSIS

- Premium-Chassis
- Stability support
- Diagonal swing axle
- Steel wheels
- Anti-sway coupling
- Wheel shock absorbers

CABINE EXTERIOR

- Hinged window (kitchen)
- Roof hatch 280 x 280 mm in childrens room
- Garage door (layout-dependent)
- Service hatch 750 x 300 mm front right (layout-dependent)
- Service hatch 1.000 x 420 mm rear right (layout-dependent)
- Third breaking light
- Hinged window, rear, 1.589 x 580 mm (layout-dependent)
- Hinged window, rear, 1200 x 300 mm (layout-dependent)
- Hinged window, front, 1.589 x 580 mm (layout-dependent)
- Sidewall hammer finish sheet
- Bottle holder with hydraulic shock absorbers
- Roof hub 400 x 400 mm
- Roof hub 280 x 280 mm (washroom)
- Automotive tail light
- Hinged window, rear, 900 x 520 mm (layout-dependent)

CABINE INTERIOR

- Storage cupboard
- Table with pillar for round seating group (layout-dependent)
- Towel hook
- Mirror
- Wall-cupboard flaps around the full circumference
- Interior walls back in furniture decor
- Winterised wall ventilation
- Bunk bed load 80 kg (layout-dependent)
- Cold foam mattresses in single and double bed
- Warderobe front
- Hydraulic lift for fixed beds
- Cold foam mattress in bunk beds
- Lift bed above seating group (load 200 kg)

KITCHEN

- Three burner stove with integrated sink
- Drawers with self retraction and softclose
- Drawer with cutlery application
- Fridge 141 ltr. (layout-dependent)
- Fridge 86 ltr. (layout-dependent)

HEATING

- Heating warm air 3004 S (layout-dependent)
- Heating warm air 5004 S (from total width 2,526 mm)

WATER SUPPLY

- Electrical cassette toilet
- Freshwater tank 44 ltr.
- Central waste water drainage
- Water hygienic silver pearls
- Washbasin

GAS/ELECTRICITY SUPPLY

- Feed-in socket CEE 230 V
- Central electrical supply 230 V
- Switcher/Sockets (4 pieces)
- 12 V lighting with 400 W transformer
- LED home lighting
- Ceiling light in main seating group
- Bed lighting
- Smoke alarm
- Jäger system (13 pole)

LONG LIFE TECHNOLOGY

- 12-years-tightness-warranty
- Roof and front / rear section in GRP
- Fibreglass-material under floor
- High-performance insulation core
- Under floor with XPS-foam an PU-struts

SHOWER PACKAGE (DUP)

- Shower fitting
- Shower curtain
- Wooden shower inlay
- Shower basin

Package weight 6 kg

BASIC PACKAGE (BAP)

- Flat-screen TV ready for 1st TV
- LED awning lighting
- Tow bar cover
- Spare wheel holder in bottle holder

Package weight 8 kg

AUTARCHY PACKAGE HOT-AIR HEATING (APU)

- 12 V ventilation system
- Battery 95 AH AGM
- Accu
- Voltage indicator for battery
- 12 V main switch

Package weight 35.5 kg

EXCLUSIVE PACKAGE (EXP)

- Mosquito net door
- LED ambience lightning
- Therme for hot water supply
- Air circulation system 230 V
- Comfort-entrance-door with window incl. rubbish bin

Package weight 11 kg

LUXURY PACKAGE STYLE / STYLE LIFT (LP)

- Holding tank 25 ltr. with wheels
- Midi Premium skylight 960 x 655 mm
- Display for freshwater tank

Package weight 8.5 kg

TECHNICAL DATA

	400 F	450 D
TECHNICAL DATA VEHICLE		
Total length (cm)	583	735
Exterior length (cm)	462	613
Interior length (cm)	399	546
Total width (cm)	232	232
Interior width (cm)	218	218
Interior roof height max. (cm)	198	198
Total height (cm)	260	260
Empty weight (kg)	998	1149
Weight in drivable condition (with standard equipment) (kg) ¹⁾	1034	1185
Payload standard/maximum load (kg) ²⁾	266	175
Maximum permissible total weight (kg)	1300	1360
Roof thickness (mm)	30	30
Sidewall thickness (mm)	30	30
Floor thickness (mm)	40	40
Awning size (cm)	864	1015

BED DIMENSIONS/SLEEPING BERTH

Berths	2	2 - 4
Front	-	200 x 146
Middle	190 x 149	-
Rear	-	212 x 102 - 132
Bunk bed	-	-

450 E	460 D	460 E	490 K	530 E	582 K	Lift 430 K	Lift 500 K
685	727	677	716	769	804	683	757
553	590	553	588	635	674	552	624
486	522	490	521	568	606	487	560
232	232	232	232	232	252	232	232
208	218	218	218	218	238	218	218
198	198	198	198	198	198	208	208
260	260	260	260	260	260	270	270
1008	1143	1038	1143	1175	1342	1178	1273
1044	1179	1074	1179	1211	1378	1214	1309
256	181	226	181	289	222	286	291
1300	1360	1300	1360	1500	1600	1500	1600
30	30	30	30	30	30	30	30
30	30	30	30	30	30	30	30
40	40	40	40	40	40	40	40
955	991	955	990	1040	1075	967	1040

2 - 4	2 - 4	2 - 4	4 - 6	2 - 4	4 - 6	4 - 6	4 - 7
200 x 83	200 x 143 - 110	185 - 210 x 83 - 83	208 x 135	212 x 127 - 162	205 x 169	208 - 203 x 90 - 83	205 - 200 x 76 - 73 177 x 78
-	-	212 x 110	194 x 86	-	205 x 111	-	-
212 x 102 - 132	212 x 132 - 148	-	-	206 x 88 - 89	-	212 - 200 x 170 - 144	212 x 170 - 159 200 x 144
-	-	-	212 - 208 x 81 - 74	-	197 - 200 x 78 - 82	208 - 203 x 90 - 83	205 - 200 x 76 - 74

OPTIONAL EQUIPMENT

	ORDER NO.	KG
CHASSIS		
Maximum chassis weight 1.400 kg / 1.500 kg Chassis	359/1	6
Maximum chassis weight 1.500 kg / 1.500 kg Chassis	136/1	6
Maximum chassis weight 1.500 kg / 1.600 kg Chassis	136/2	1
Maximum chassis weight 1.600 kg / 1.600 kg Chassis	322/1	1
Maximum chassis weight 1.600 kg / 1.700 kg Chassis	322/2	6
Maximum chassis weight 1.700 kg / 1.700 kg Chassis	278/1	6
Maximum chassis weight 1.700 kg / 1.800 kg Chassis	278/2	6
Maximum chassis weight 1.800 kg / 1.800 kg Chassis	279	6
Maximum chassis weight 1.900 kg / 2.000 kg Chassis	394	10
Maximum chassis weight 2.000 kg / 2.000 kg Chassis incl. aluminum rims	138	10
Spare wheel with aluminium rim for 2000 kg chassis (+ holder under chassis)	1092	12
Spare wheel with steel rims	831	12
Spare wheel with aluminum rims	839	6
Stability supports incl. big Feet	6348	2
Aluminum rims, single axle	1063/1	1
Anti-skid system	748	4
Mover single axle (only in connection with autarchy package) ³⁾	946	28

CABINE EXTERIOR

Service hatch 1.000 x 420 mm front right (layout-dependent)	6416	4
Hinged window washroom (milky glass)	1028	2
Sliding window (kitchen)	6406	3
Sidewall in smooth sheet white	443	17
Bicycle carrier	184	14
Reinforced roof incl. preparation for air conditioning	6402	3.5
Air conditioning	6512	36.5
Service hatch 1.675 x 885 mm front right (layout-dependent)	9430	7
Service hatch 560 x 1.150 mm front right (garage door) (layout-dependent)	9609	5
Service hatch 750 x 300 mm front left (layout-dependent)	6419	3
Service hatch 750 x 300 mm rear right (layout-dependent)	6422	3
Service hatch 1.000 x 420 mm front left (layout-dependent)	6415	4
Service hatch 750 x 300 mm front right (layout-dependent)	6420	3
Hinged window, rear, 1.450 x 520 mm (layout-dependent)	1108/1	4
Hinged window, front, 900 x 520 mm (layout-dependent)	982/4	3
Hinged window, front, 1.589 x 580 mm (layout-dependent)	982/1	2
Pop-up roof ⁴⁾	6400	120
Winterisolation for pop-up roof ⁵⁾	6401	2

400 F	450 D	450 E	460 D	460 E	490 K	530 E	582 K	Lift 430 K	Lift 500 K
-	-	-	-	-	☐	-	-	-	-
☐	-	☐	☐	☐	☐	-	-	■	-
-	☐	-	-	-	-	-	-	-	-
-	☐	-	-	-	-	-	■	-	■
☐	-	☐	-	-	☐	-	-	-	-
☐	-	☐	☐	☐	☐	-	-	☐	-
-	☐	-	-	-	-	-	☐	-	☐
-	☐	-	-	-	-	☐	☐	-	☐
-	-	-	-	-	-	-	☐	-	☐
-	-	-	-	-	-	-	☐	-	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
-	-	☐	-	■	■	-	■	-	-
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
-	-	-	-	-	-	-	-	-	☐
-	-	-	-	-	-	-	-	☐	-
-	☐	-	-	-	-	-	-	-	-
■	☐	-	☐	-	-	-	-	■	■
-	-	☐	-	☐	☐	-	■	-	-
-	■	-	-	-	-	☐	-	☐	-
-	-	-	-	■	-	☐	-	-	-
☐	☐	-	☐	-	-	-	☐	-	-
-	-	☐	-	☐	☐	-	-	-	-
☐	☐	☐	☐	☐	☐	☐	☐	-	-
☐	☐	☐	☐	☐	☐	☐	☐	-	-

■ Standard ☐ Optional extra - Not possible

	ORDER NO.	KG
CABINE INTERIOR		
Decorative pillows (2 pieces)	10696	1
Settee widening incl. table extension	7750	6
Carpet, skirted	513/1	7
Triple bunk beds ⁶⁾	200	21
Premium-matress	10318	10
Roll-out-bed ⁷⁾	685	6
Plain fitted under-sheet for double beds	8664	4
Plain fitted under-sheet for single beds	8664	3

	ORDER NO.	KG
HEATING		
Electrical floor heating 230 V	387	6
230 V auxiliary heating	6361	2

	ORDER NO.	KG
GAS/ELECTRICITY SUPPLY		
Exterior socket 230 V / 12 V / TV and gas	611/1	1
Flat-screen TV holder (wall mounted) ⁸⁾	6407	2
Gas detector	10058	0.5
Multiconsystem 7 pole instead of 13 pole	6451	1
USB socket for power rail	9989	0.5

	400 F	450 D	450 E	460 D	460 E	490 K	530 E	582 K	Lift 430 K	Lift 500 K
<input type="checkbox"/>										
-	-	-	-	-	-	<input type="checkbox"/>	-	-	-	-
<input type="checkbox"/>										
-	-	-	-	-	-	<input type="checkbox"/>	-	<input type="checkbox"/>	-	-
<input type="checkbox"/>										
-	-	<input type="checkbox"/>	-	<input type="checkbox"/>	<input type="checkbox"/>	-	<input type="checkbox"/>	-	-	-
<input type="checkbox"/>	<input type="checkbox"/>	-	<input type="checkbox"/>	-	<input type="checkbox"/>	<input type="checkbox"/>	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-	-	<input type="checkbox"/>	-	<input type="checkbox"/>	<input type="checkbox"/>	-	<input type="checkbox"/>	-	-	-
<input type="checkbox"/>										
<input type="checkbox"/>										
<input type="checkbox"/>										
<input type="checkbox"/>										
<input type="checkbox"/>										

Standard
 Optional extra
 Not possible



BORN FROM A PASSION FOR CARAVANNING

Simply taking off and enjoying the most wonderful moments of the year. With a vehicle from LMC, you can look forward to doing precisely that whenever you want.

At its production site in Sassenberg, Germany, the creative caravan manufacturer builds modern, future-proof and light engineered caravan, motor-home and camper van models with well thought out layout options that meet all requirements, and plenty of features that reflect the engineering skills Germany is famous for. Our highly-qualified staff know exactly what matters. As passionate campers, we make every effort to ensure that our vehicles are so well designed in terms of quality, safety and comfort that they meet our own high standards. To make sure that all you have to worry about is rest and relaxation, they feature clever technology and functional solutions both inside and out. All LMC components are designed with durability and value retention in mind – your investment into an LMC is therefore a sound choice.

WE MAKE IT **EASY FOR YOU**

Our engineers rely on cleverly designed lightweight furniture and use a well thought out mix of materials and special light engineered components to guarantee that you benefit from a generous user payload.

Across all of our model ranges, we create clear structures and provide transparent information to make it as easy as possible for you to choose the LMC that's right for you.



“All bunk beds for children come with a guard rail that can be fitted to the bunk beds if necessary to ensure that the kids can sleep safely, and their parents don't have to worry.”

MARINA HAUBRICH, Product Manager





QUALITY YOU CAN RELY ON

LMC stands for outstanding quality, reliability and long-lasting value. We use advanced production technologies to be able to guarantee all three. For added security, we give you our unique quality promise: a twelve-year water ingress warranty.*

See our homepage www.lmc-caravan.de for more information, or ask your dealer.

* All LMC caravans come with a twelve-year water ingress warranty, provided the vehicle is serviced annually by an official LMC partner (service charges apply).

IMPORTANT INFORMATION

All accessory prices are for factory installation. Subsequent installations are subject to additional costs. Any change to the factory settings of your vehicle can lead to impairment of driving or road safety. Accessories recommended by us and original replacement parts have been specially developed for your vehicle and approved by us. Your LMC dealer carries these products; he/she is informed of permissible, technical particulars, and performs the necessary work in a competent manner. Accessories, fixtures, conversion or assembly parts that have not been approved by LMC can lead to damage to the vehicle or impaired road safety.

Even if there is an expert opinion from a specialist regarding the part, a general operating licence for the part, or a type-approval certificate, this does not presume the proper constitution of the product. Please understand that no liability can be assumed for damages caused by products that have not been approved by LMC, or by unauthorised modifications.

The weight in roadworthy condition (1) corresponds to the series design without optional extras. Installation of optional extras increase the weight of the caravan in roadworthy condition (1), and the cargo load is reduced accordingly (2). Please take the weight of the optional extra into account with regard to the cargo load (2).

Changes to prices, technical data, fixtures and furnishings, as well those regarding creative aspects, remain reserved. Information about scope of delivery, appearance and services, correspond to the information available at the time of printing. Deviations of +/- 5 % are possible in measurement and weight data.

The cargo load (2) derived from it can vary correspondingly. Our weight information complies with requirements of EC-Directive 661/2009 and Regulation (EU) 1230/2012.

For safe operation of 12 V devices in the caravan while driving, it must be ensured that the towing vehicle has sufficient voltage. With some vehicles it is possible that the vehicle's battery management switches the battery consumption unit off for protection. Obtain information about this from your vehicle manufacturer.

Corresponds to the current status at the time of printing. We reserve the right to technical modifications to the construction and outfitting, deviations to the colour, or mistakes, colour deviations, are partially print or lighting related.

Some illustrations include optional extras subject to extra cost.

All prices are recommended retail prices in euros, incl. statutory value added tax ex works LMC.

The validity of all previously published price lists expires with the publication of this price list. Valid from 01/11/2021.

FOOTNOTES

- 1) This weight includes the standard design dimensions according to manufacturer information: Liquid, such as fresh water, gas (aluminium bottles) at 100 % and cable drums, without optional extras. This corresponds to a weight of approx. 36 kg (Style, Style Lift).
- 2) The cargo load must not be exceeded by personal equipment and optional extras.
- 3) Installation in front of axle. This enables the spare wheel holder under the chassis.
- 4) The skylight in the washroom is omitted with the optional extra of the pop-up roof. The washroom window is standard equipment. In addition, the roof hood and/or roof hood Midi Premium is omitted. Usage of the pop-up roof is not recommended in winter.
- 5) Only in combination with pop-up roof insulating mat for buttoning into the pop-up roof. Not available in combination with hot water heating.
- 6) Exterior storage door on 490 K, 520 K, 522 K, 530 K remains, however no function since the lower bed must not be set up.
- 7) Connecting the single beds into a double bed including additional mattress piece.
- 8) Flatscreen holder ex works mounted (only TV-spot 1).

SEE YOU!



LMC CARAVAN GMBH & CO. KG Rudolf-Diesel-Straße 4 D-48336 Sassenberg
T +49 (0) 2583 / 27-0 E info@lmc-caravan.de H www.lmc-caravan.de
Münster (Westf.): HRB 9914 USt-IdNr. 126 733 941 General Managers: Ulrich Schoppmann, René Ricken

QUALITY. TRUST. AT HOME. **LMC**